

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	234	717/118.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 11:26
L2	310	717/120.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 11:26
L3	121	717/121.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 11:26
L8	182	719/317.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 11:31
L9	105	719/319.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 11:31
L10	978	719/328.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 11:31
L11	360	719/330.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 11:31
S1	42	java with environment\$2 with variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 08:29
S2	27	java with environment\$2 adj1 variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 15:26
S3	27	java with environment\$2 adj1 variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 11:12

S4	585	buffer and line and equal adj2 (sign symbol) and variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 11:17
S5	10	buffer with line and equal adj2 (sign symbol) with variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 11:19
S6	2	buffer with line with equal adj2 (sign symbol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 12:22
S7	52	set with (command instruction) with environment\$2 adj1 variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 12:39
S8	0	"cmd /c set"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 12:39
S9	0	"cmd/c set"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 12:40
S10	0	cmd\$2c adj1 set cmd adj1 \$1c adj1 set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 12:45
S11	14	set with environment\$2 adj1 variable with (list display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 12:46
S12	46	(environment\$2 adj1 variable).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 15:28
S13	26281	path with variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 15:29

S14	715	path with variable with (application program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 15:29
S15	42	path with variable with (application program) and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 15:30
S16	10	path with environment\$2 adj2 variable with (application program) and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 15:32
S17	23	pars\$3 with environment\$2 adj2 variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 15:58
S18	105	717/118.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 15:58
S19	106	717/120.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 15:58
S20	41	717/121.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 16:03
S21	118	709/317.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 11:31
S22	58	709/319.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 16:04
S23	554	709/328.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 16:04

S24	268	709/330.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/11 16:04
S25	63	java same environment\$2 adj1 variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/02 15:29
S26	9	java and stor\$3 with environment\$2 adj1 variable with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/02 15:45
S27	40	java and stor\$3 with environment\$2 adj1 variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/02 15:46
S28	0	java and stor\$3 with environment\$2 adj1 variable with native	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/02 15:46
S29	4	java and environment\$2 adj1 variable with native	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/02 16:12
S30	0	"j/com"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/02 16:13
S31	2	"java/com"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/02 16:13
S32	4	"j/direct"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/02 16:13
S37	30	curtis-bryce-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 13:06

S38	266	native adj1 method with java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 13:13
S39	176	native with java and (determin\$3 detect\$3) with operating adj1 system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 13:14
S40	10	("5179703" "5265252" "5432937" "5485579" "5517636" "5583983" "5665501" "5715463" "5757925" "5794052").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/15 13:19
S41	40	("5966540").URPN.	USPAT	OR	ON	2005/06/15 13:21
S42	10	("5179703" "5265252" "5432937" "5485579" "5517636" "5583983" "5665501" "5715463" "5757925" "5794052").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/15 14:44
S43	28	"2321981"	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/15 14:45
S44	0	"martin edward lister"	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/15 15:29
S48	1	native adj1 method same environment\$2 with variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 15:05
S49	4	native adj1 method same (ini ".ini" configuration config) adj1 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 15:40
S50	0	java with \$1-ini adj1 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 15:40
S51	5	java with (ini initialization init ".ini") adj1 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 15:40

S52	0	"accessing variables from an operating system".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 08:30
S53	0	accessing with variables with operating with system.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 08:30
S54	31	curtis-bryce-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 14:27